


number average molecular weight of 10,000-500,000, represented by the following formula (4):



(where  $R^3$  and  $R^4$  are independently selected from the group consisting of hydrogen, an alkyl group, a substituted alkyl group, an aryl group and a substituted aryl group,  $p = 95 - 99.9$  mol.%,  $q = 0.1 - 5$  mol.%,  $p + q = 100$  mol.%, and  $z$  is an integer selected from 2 to 6), and 0.1 to 200 parts by weight of at least one of polymer compounds (II) having a number average molecular weight of 500 or more, selected from the group consisting of a polyolefin-based polymer compound, a polyurethane-based polymer compound, a polyester-based polymer compound, a polystyrene-based polymer compound, a polyacryl-based polymer compound and a polyamide-based polymer compound.

4. (amended) The polyacetal resin composition according to Claim 3, wherein the polymer compound (II) is a polyolefin-based polymer compound comprising  $\alpha$ -olefin-based polymer compound.

5. (amended) The polyacetal resin composition according to Claim 4, wherein the  $\alpha$ -olefin-based polymer compound comprises 0.1 to 6 parts by weight of an ethylene- $\alpha$ -olefin random copolymer having a number average molecular weight of 500-10,000, comprising 10-70 mol.% of ethylene units and 30-90 mol.% of  $\alpha$ -olefin units.

6. (amended) The polyacetal resin composition according to Claim 4, wherein the  $\alpha$ -olefin-based polymer compound is an  $\alpha$ -olefin-based copolymer modified by an unsaturated carboxylic acid or its acid anhydride.

7. (amended) The polyacetal resin composition according to Claim 3, wherein the polymer compound (II) is a polystyrene-based polymer compound comprising a copolymer of an aromatic vinyl monomer and a copolymerizable unsaturated monomer that can be copolymerized with the aromatic vinyl monomer.

8. (amended) The polyacetal resin composition according to Claim 3, wherein the polymer compound (II) is a polystyrene-based polymer compound comprising a block (a) comprising a styrene monomer and a block (b) comprising isoprene or isoprene-butadiene and containing 20 mol.% or more of vinyl bonds.

11. (amended) The polyacetal resin composition according to Claim 3, further comprising 0.01 to 0.2 parts by weight of at least two of difatty acid calciums having 12-22 carbon atoms.

12. (amended) A molding comprising an ABA type block copolymer according to Claim 1.

13. (amended) The molding according to Claim 12, wherein the molding is a large-diameter gear having a pitch circle diameter of 60 mm or more.

14. (amended) The molding according to Claim 12, wherein the molding is a large-diameter gear having a pitch circle diameter of 100 mm or more.

Add new claims 15-18 as follows:

- -15. (new) The polyacetal resin composition according to Claim 3, further comprising 0.01 to 0.9 parts by weight of at least two of esters of a fatty acid having 12-22 carbon atoms with ethylene glycol. - -

- -16. (new) A molding comprising a resin composition according to Claim 3. - -

- - 17. (new) The molding according to Claim 16, wherein the molding is a large-diameter gear having a pitch circle diameter of 60 mm or more. - -

- - 18. (new) The molding according to Claim 16, wherein the molding is a large-diameter gear having a pitch circle diameter of 100 mm or more. - -